



# The Ausdiab Study References

## Publications and Resources

### In press

Barr ELM, Tonkin AM, Welborn TA, Shaw JE. Validity of self-reported cardiovascular disease events: a comparison of medical records adjudication and linkage to a state-wide hospital morbidity database in the AusDiab study. Intern Med J (in press). IF=1.570

Al Salmi I, Hoy WE, Kondalsamy-Chennakes S, Wang Z, Healy H, Shaw JE. Birth weight and stages of CKD: a case-control study in an Australian population. Am J Kidney Dis 2008 (in press). IF=3.981

[http://www.ncbi.nlm.nih.gov/pubmed/18640755?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18640755?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Magliano DJ, Shaw JE, Shortreed SM, Nusselder WJ, Liew D, Barr ELM, Zimmet PZ, Peeters A. Lifetime risk and projected population prevalence. Diabetologia 2008 DOI 10.1007/s00125-008-1150-5.

[http://www.ncbi.nlm.nih.gov/pubmed/18810385?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18810385?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Cameron AJ, Boyko EJ, Sicree R, Soderberg S, Zimmet PZ, Alberti KGMM, Tuomilehto J, Chitson P, Shaw J. Central obesity as a precursor to the Metabolic Syndrome in the AusDiab study and Mauritius. Obesity 2008 (in press). IF=1.520

[http://www.ncbi.nlm.nih.gov/pubmed/18803535?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18803535?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

### 2008

Chen L, Rogers SL, Colagiuri S, Cadilhac DA, Mathew TH, Boyden AN, Peeters An, Magliano DJ, Shaw JE, Zimmet PZ, Tonkin AM. How do the Australian guidelines for lipid-lowering drugs perform in practice? Cardiovascular disease risk in the AusDiab study, 1999-2000. Med J Aust 2008;189:319-322. IF=2.537

[http://www.ncbi.nlm.nih.gov/pubmed/18803535?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18803535?ordinalpos=5&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Cussons AJ, Watts GF, Burke V, Shaw JE, Zimmet PZ, Stuckey BGA. Cardiometabolic risk in polycystic ovarian syndrome: a comparison of different approaches to defining the metabolic syndrome. Human Reproduction 2008;23:2352-2358. IF=3.543

[http://www.ncbi.nlm.nih.gov/pubmed/18635531?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18635531?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Lee CM-Y, Huxley RR, Woodward M, Zimmet P, Shaw J, Nam HC, Kim HR, Viali S, Tominaga M, Vistisen D, Borch-Johnsen K, Colagiuri S on behalf of the DETECT-2 Collaboration. The metabolic syndrome identifies a heterogeneous group of metabolic component combinations in the Asia-Pacific region. Diabetes Res Clin Pract 2008;81:377-80. IF=1.823

[http://www.ncbi.nlm.nih.gov/pubmed/18617286?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18617286?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Tapp R, Tikellis G, Wong T, Harper C, Zimmet P, Shaw J. Longitudinal association of glucose metabolism with retinopathy: results from the Australian Diabetes Obesity and Lifestyle Study (AusDiab). *Diabetes Care* 2008;31:1349-54. IF=7.851  
[http://www.ncbi.nlm.nih.gov/pubmed/18411241?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18411241?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Cameron A, Magliano D, Zimmet P, Welborn T, Colagiuri S, Tonkin A, Shaw J. The metabolic syndrome as a tool for predicting future diabetes. The AusDiab study. *J Intern Med* 2008;264:177-186. IF=4.901  
[http://www.ncbi.nlm.nih.gov/pubmed/18298479?ordinalpos=25&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18298479?ordinalpos=25&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Maple-Brown L, Cunningham J, Dunne K, Whitbread C, Howard D, Weeramanthri T, Tatipata S, Dunbar T, Harper CA, Taylor HR, Zimmet P, O'Dea K, Shaw J. Complications of diabetes in urban indigenous Australians: The DRUID study. *Diabetes Res Clin Pract* 2008;80:455-462. IF=1.823.  
[http://www.ncbi.nlm.nih.gov/pubmed/18294723?ordinalpos=26&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18294723?ordinalpos=26&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Kondalsamy-Chennakesavan S, Hoy WE, Wang Z, Shaw J. Quantifying the excess risk of type 2 diabetes by body habitus measurements among Australian Aborigines living in remote areas. *Diabetes Care* 2008;31:585-86. IF=7.851  
[http://www.ncbi.nlm.nih.gov/pubmed/18056892?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18056892?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Huxley R, Barzi F, Lee CMY, Janus E, Lam TH, Caterson I, Azizi F, Lear S, Patel J, Shaw J, Adam J, Oh SW, Kang JH, Zimmet P, Woodward M. Is central obesity a better discriminator of the risk of hypertension than body mass index in ethnically diverse populations. The Obesity in Asia Collaboration. *J Hypertens* 2008;26:169-77. IF=4.364.

Healy G, Dunstan D, Salmon J, Cerin E, Shaw J, Zimmet P, Owen Neville. Breaks in sedentary time: beneficial associations with metabolic risk. *Diabetes Care* 2008;31:661-66. IF=7.851  
[http://www.ncbi.nlm.nih.gov/pubmed/18252901?ordinalpos=29&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18252901?ordinalpos=29&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Rogers S, Tikellis G, Cheung N, Tapp R, Shaw J, Zimmet Z, Mitchell P, Wang JJ, Wong TY. Retinal arteriolar caliber predicts incident retinopathy: The Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Diabetes Care* 2008;31:761-63. IF=7.851  
[http://www.ncbi.nlm.nih.gov/pubmed/18184895?ordinalpos=32&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18184895?ordinalpos=32&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Healy GN, Dunstan DW, Salmon J, Shaw JE, Zimmet PZ, Owen N. Television time and continuous metabolic risk in physically-active adults. *Medicine & Science in Sport & Exercise* 2008;40:639-45. IF=0.457  
[http://www.ncbi.nlm.nih.gov/pubmed/18317383?ordinalpos=21&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18317383?ordinalpos=21&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

Kondalsamy-Chennakesavan S, Hoy W, Wang Z, Briganti E, Polkinghorne K, Chadban S, Shaw J. Anthropometric measurements of Australian Aboriginal adults living in remote areas: comparison with nationally representative findings. *Am J Hum Biol* 2008;20:317-324. IF=1.805  
[http://www.ncbi.nlm.nih.gov/pubmed/18203125?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18203125?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Nguyen TT, Wang JJ, FMA Islam FM, Mitchell P, Zimmet PZ, Simpson R, Shaw J, Wong TY. Retinal arteriolar narrowing predicts incidence of diabetes: The Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Diabetes* 2008;57:536-39. IF=8.261

[http://www.ncbi.nlm.nih.gov/pubmed/18086902?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18086902?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Wong TY, Liew G, Tapp RJ, Schmidt MI, Wang JJ, Mitchell P, Klein R, Klein BEK, Zimmet P, Shaw J. Relation between fasting glucose and retinopathy for diagnosis of diabetes: three population-based cross-sectional studies. *Lancet* 2008;371:736-43. IF=28.638

[http://www.ncbi.nlm.nih.gov/pubmed/18313502?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18313502?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Boyko EJ, Barr ELM, Zimmet PZ, Shaw JE. Two-hour glucose predicts the development of hypertension over five years: the AusDiab study. *J Human Hypertension* 2008;22:168-78. IF=2.244

[http://www.ncbi.nlm.nih.gov/pubmed/18046430?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18046430?ordinalpos=12&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Sicree RA, Zimmet PZ, Dunstan DW, Cameron AJ, Welborn TA, Shaw JE. Differences in height explain gender differences in the response to the oral glucose tolerance test – the AusDiab study. *Diabet Med* 2008;25:296-302. IF=2.970

[http://www.ncbi.nlm.nih.gov/pubmed/18307457?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18307457?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Al Salmi I, Hoy W, Kondalsamy-Chennakesavan S, Wang Z, Gobe G, Barr E, Shaw J. Disorders of glucose regulation in adult and birthweight: results from the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *Diabetes Care* 2008;31:159-64. IF=7.851

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17934149&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17934149&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

White SL, Polkinghorne KR, Cass A, Shaw J, Atkins RC, Chadban SJ. Limited knowledge of kidney disease in a survey of AusDiab study participants. *Med J Aust* 2008;188:204-8 IF=2.582 IF=2.537

[http://www.ncbi.nlm.nih.gov/pubmed/18279125?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18279125?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Healy GM, Wijndaele K, Dunstan D, Shaw JE, Salmon J, Zimmet PZ, Owen N. Objectively-measured sedentary time, physical activity and metabolic risk: the AusDiab study. *Diabetes Care* 2008;31:369-71. IF=7.851

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=18000181&ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=18000181&ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Magliano D, Barr E, Zimmet P, Cameron A, Dunstan D, Colagiuri S, Jolley D, Owen N, Phillips P, Tapp R, Welborn T, Shaw J. Glucose indices, health behaviours and the incidence of diabetes in Australia: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *Diabetes Care* 2008;31:267-72. IF=7.851

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17989310&ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17989310&ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

## 2007

Magliano DJ, Polkinghorne KR, Barr EM, Su Q, Chadban S, Zimmet PZ, Shaw JE, Atkins RC. HPLC-detected albuminuria predicts mortality. *J Am Soc Nephrol* 2007;18:3171-3176. IF=7.371

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=18003774&ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=18003774&ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Cameron AJ, Zimmet PZ, Atkins RC, Shaw JE. The Australian Diabetes, Obesity and Lifestyle Study – profiling diabetes and cardiovascular disease risk in the nation. *Endocrine Disease* 2007:26-29.

Anstey KJ, Butterworth P, Booth H, Windsor TD, Burns R, Simons LA, Sargent-Cox K, Byles JE, Luszcz MA, Gibson R, von Sanden C, Christensen H, Shaw JE, Broe GA, Browning C, Mitchell P, Cumming RG, Kendig H.

The value of comparing health outcomes in cohort studies: an example of self-rated health in seven studies including 79653 participants. *Australas J Ageing* 2007;26:194-200.

Chen L, Peeters A, Magliano DJ, Shaw JE, Welborn TA, Wolfe R, Zimmet PZ, Tonkin AM. Anthropometric measures and absolute cardiovascular risk estimates in the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Eur J Cardiovasc Prev Rehabil* 2007;14:740-745. IF=1.979  
[http://www.ncbi.nlm.nih.gov/pubmed/18043293?ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18043293?ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Simmons D, Shaw J, Eaton S, Zimmet P. Brief Report – Self reported past gestational diabetes as a risk factor for abnormal glucose tolerance among Australian women. *Diabetes Care* 2007;30:2293-2295. IF=7.912  
<http://portal.isiknowledge.com.ezproxy.lib.monash.edu.au/portal.cgi?DestApp=CCC&Func=Frame>

Tikellis G, Wang JJ, Tapp R, Simpson R, Mitchell P, Zimmet PZ, Shaw J, Wong TY. The relationship of retinal vascular calibre to diabetes and retinopathy: The Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Diabetologia* 2007;50:2263-71. IF=5.247  
[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17891374&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17891374&ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Cameron AJ, Magliano DJ, Zimmet PZ, Welborn T, Shaw J. The metabolic syndrome in Australia: prevalence using four definitions. *Diabetes Res Clin Pract* 2007;77:471-8. IF=1.8.37  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=17350710&query hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=17350710&query hl=5&itool=pubmed_docsum)

Barr ELM, Zimmet PZ, Welborn WA, Jolley D, Magliano DJ, Dunstan DW, Cameron AJ, Dwyer T, Taylor HR, Tonkin AM, Wong TY, McNeil J, Shaw JE. The risk of cardiovascular and all-cause mortality in individuals with diabetes, impaired fasting glucose and impaired glucose tolerance: the AusDiab Study. *Circulation* 2007;116:151-157. IF=10.940  
[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17576864&ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17576864&ordinalpos=4&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Healy GN, Dunstan DW, Salmon J, Cerin E, Shaw JE, Zimmet PZ, Owen N. Objectively measured light-intensity physical activity is independently associated with 2-hr plasma glucose. *Diabetes Care* 2007;30:1384-1389. IF=7.912  
<http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17473059>

Hoy WE, Kondalsamy-Chennakesavan S, Wang S, Briganti E, Shaw J, Polkinghorne K, Chadban S and the AusDiab Study Group. Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. *ANZ J Pub Hlth* 2007;31:177-83. IF=1.117  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=17461011&query hl=1&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=17461011&query hl=1&itool=pubmed_docsum)

Dunstan D, Salmon J, Healy G, Shaw J, Jolley D, Zimmet P, Owen N. Association of television viewing with fasting and 2-hr post-challenge plasma glucose levels in adults without diagnosed diabetes. *Diabetes Care* 2007;30:516-522. IF=7.912  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=17327314&query hl=1&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=17327314&query hl=1&itool=pubmed_docsum)

Dwyer T, Hosmer DW, Hosmer T, Blizzard CL, Blair SN, Granger RH, Shaw JE, Zimmet PZ, Cochrane JA, Dunstan D. The inverse relationship between number of steps per day and obesity in a population-based sample – the AusDiab Study. *Int J Obesity* 2007;5:797-804. IF=4.055  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=17047641&query hl=6&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=17047641&query hl=6&itool=pubmed_docsum)

**2006**

Thomas MC, Zimmet P, Shaw JE. Identification of obesity in patients with type 2 diabetes from Australian primary care. The NEFRON-5 Study. *Diabetes Care* 2006;29:2723-2725. IF=7.912

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17130212&ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=17130212&ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Tapp RJ, Dunstan DW, Phillips P, Tonkin A, Zimmet PZ, Shaw JE on behalf of the AusDiab study group. Association between impaired glucose metabolism and quality of life: results from the Australian Diabetes Obesity and Lifestyle Study. *Diabetes Res Clin Pract* 2006;74:154-161. IF=1.837

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=16740334&query hl=10&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=16740334&query hl=10&itool=pubmed_docsum)

Healy GN, Dunstan DW, Shaw JE, Zimmet PZ, Owen N. Beneficial associations of physical activity with two-hour, but not fasting blood glucose in Australian adults: the AusDiab Study. *Diabetes Care* 2006;29:2598-2604. IF=7.912

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=17130191&query hl=4&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=17130191&query hl=4&itool=pubmed_docsum)

Simmons D, Shaw J, McKenzie A, Eaton S, Cameron AJ, Zimmet P. Is grand multiparity associated with an increased risk of dysglycaemia? *Diabetologia* 2006;49:1522-1527. IF=5.247

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dot=Abstract&list\\_uids=16688425&query hl=2&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dot=Abstract&list_uids=16688425&query hl=2&itool=pubmed_docsum)

Wang Z, Knight S, Wilson A, Rowley KG, Best JD, McDermott R, Leonard D, Shaw JE, O'Dea K. Blood pressure and hypertension for Australian Aboriginal and Torres Strait Islander people. *Eur J Cardiovasc Prev Rehabil* 2006;13:438-443. IF=1.979

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=16926675&query hl=2&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=16926675&query hl=2&itool=pubmed_docsum)

Tapp RJ, Zimmet PZ, Harper CA, DeCourten MP, McCarty DJ, Balkau B, Taylor HR, Welborn TA, Shaw JE on behalf of the AusDiab study group. Diagnostic thresholds for diabetes: the association of retinopathy and albuminuria with glycaemia. *Diabetes Res Clin Pract* 2006;73:315-321. IF=1.937

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16644057&query hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16644057&query hl=5&itool=pubmed_docsum)

Barr ELM, Wong TY, Tapp RJ, Harper CA, Zimmet PZ, Atkins R, Shaw J on behalf of the AusDiab Steering Committee. Is peripheral neuropathy associated with retinopathy and albuminuria in individuals with impaired glucose metabolism? The 1999-2000 AusDiab Study. *Diabetes Care* 2006;29:1114-1116. IF=7.912

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16644648&query hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16644648&query hl=5&itool=pubmed_docsum)

Cunningham AL, Taylor R, Taylor J, Marks C, Shaw J, Mindel A. Prevalence of infection with herpes simplex virus types 1 and 2 in Australia: a nationwide population-based survey. *Sex Transm Infect* 2006;82:164-168. IF=3.395

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16581748&query hl=27&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16581748&query hl=27&itool=pubmed_docsum)

Polkinghorne KR, Su Q, Chadban SJ, Shaw J, Zimmet PZ, Atkins RC. Population prevalence of albuminuria in the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study: immunonephelometry compared with high-performance liquid chromatography. *Am J Kid Dis* 2006;47:604-613. IF=4.072

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16564938&query hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16564938&query hl=5&itool=pubmed_docsum)

**2005**

D'Souza RM, T Butler, Petrovsky N. Assessment of cardiovascular disease risk factors and diabetes mellitus in Australian prisons: is the prisoner population unhealthier than the rest of the Australian population? *Aust NZ J Public Hlth* 2005;29:318-23. IF 1.335

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16222927&query\\_hl=29&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16222927&query_hl=29&itool=pubmed_docsum)

Simmons D, McKenzie A, Eaton S, Shaw J, Zimmet P. Prevalence of diabetes in rural Victoria. *Diabetes Res & Clin Pract* 2005;70:287-290. IF=1.837

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15946759&query\\_hl=31&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15946759&query_hl=31&itool=pubmed_docsum)

Dunstan DW, Salmon J, Owen N, Armstrong T, Zimmet PZ, Welborn TA, Cameron AJ, Dwyer T, Jolley D, Shaw JE on behalf of the AusDiab Steering Committee. Associations of TV viewing and physical activity with the metabolic syndrome in Australian adults. *Diabetologia* 2005 48:2254-61. IF=5.247

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16211373&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16211373&query_hl=5&itool=pubmed_docsum)

Nelson MR, Liew D, Bertram M, Vos T. Epidemiological modelling of routine use of low dose aspirin for the primary prevention of coronary heart disease and stroke in those aged > or =70. *BMJ* 2005;330:1306A.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15908442&query\\_hl=34&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15908442&query_hl=34&itool=pubmed_docsum)

Wong TY, Barr ELM, Tapp RJ, Harper CA, Taylor HR, Zimmet PZ, Shaw JE. Retinopathy in persons with impaired glucose metabolism: The Australian Diabetes Obesity and Lifestyle (AusDiab) Study. *Am J Ophthalmology* 2005;140:1157-59. IF=2.468

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16376677&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16376677&query_hl=5&itool=pubmed_docsum)

Coyne T, Torukiri I, Baade PD, Dobson A, McClintock C, Dunn S, Leonard D, Shaw J. Diabetes mellitus and serum carotenoids: findings of a population based study in Queensland, Australia. *Am J Clin Nutr* 2005;82:685-93. IF=6.562

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16155284&query\\_hl=39&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16155284&query_hl=39&itool=pubmed_docsum)

Glümer C, Borch-Johnsen K, Colagiuri S. Can a screening programme for diabetes be applied to another population? *Diabetic Med* 2005;22:1234-1238. IF=2.970

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16108854&query\\_hl=41&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108854&query_hl=41&itool=pubmed_docsum)

Simmons D, McKenzie A, Eaton S, Cox N, Khan MA, Shaw J, Zimmet P. Choice and availability of takeaway and restaurant food is not related to the prevalence of adult obesity in rural communities in Australia. *Int J Obes* 2005;29:703-10. IF=4.055

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15809667&query\\_hl=47&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15809667&query_hl=47&itool=pubmed_docsum)

Kemp TM, Barr ELM, Zimmet PZ, Cameron AJ, Welborn TA, Colagiuri S, Phillips P, Shaw JE. Glucose, lipid and blood pressure control in Australian adults with type 2 diabetes: The 1999-2000 AusDiab Study. *Diabetes Care* 2005;28:1490-92. IF=7.912

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15920075&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15920075&query_hl=5&itool=pubmed_docsum)

Briganti EM, Kerr PG, Shaw JE, Zimmet PZ, Atkins RC. Prevalence and treatment of cardiovascular disease and traditional cardiovascular risk factors in Australian adults with renal insufficiency. *Nephrology (Carlton)* 2005;10:40-47. IF=0.229  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15705181&query\\_hl=49&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15705181&query_hl=49&itool=pubmed_docsum)

## 2003

Tapp, RJ, Shaw JE, Zimmet PZ, Balkau B, Chadban SJ, Tonkin AM, Welborn TA, Atkins RC on behalf of the AusDiab Study Group. Albuminuria is evident in the early stages of diabetes onset: results from the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *Am J Kidney Diseases* 2004;44:792-798. IF=4.072  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15492944&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15492944&query_hl=5&itool=pubmed_docsum)

Atkins RC, Polkinghorne KR, Briganti EM, Shaw JE, Zimmet PZ, Chadban SJ. Prevalence of albuminuria in Australia: The AusDiab Kidney Study. *Kidney Int* 2004;66(Suppl92):S22-S24. IF=4.773  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15485411&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15485411&query_hl=5&itool=pubmed_docsum)

Dunstan DW, Salmon J, Owen N, Armstrong T, Zimmet PZ, Welborn TA, Cameron AJ, Dwyer T, Jolley D, Shaw JE on behalf of the AusDiab Steering Committee. Physical activity and television viewing in relation to risk of undiagnosed abnormal glucose metabolism in adults. *Diabetes Care* 2004;27:2603-2609. IF=7.912  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=15504993&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15504993&query_hl=5&itool=pubmed_docsum)

Coyne TJ, Findlay MG, Firman DW, Ibiebele T. Overweight and obesity in Australia: an under estimate of the true prevalence? *MJA* 2004;180:93-94 (Authors reply).  
[http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list\\_uids=14723594&dopt=Citation](http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list_uids=14723594&dopt=Citation)

Mackerras D, Levy J, Shaw J, Zimmet P. Comparison of fruit and vegetable frequency data from two Australian national surveys. *Nutr Diet* 2004;61;88-97.

Tapp RJ, Zimmet PZ, Harper CA, de Courten MD, Balkau B, McCarty DJ, Taylor HR, Welborn TA, Shaw JE on behalf of the AusDiab Study Group. Diabetes care in the Australian population: frequency of screening examination for eye and foot complications of diabetes. *Diabetes Care* 2004;27:688-693. IF=7.911  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=14988286&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14988286&query_hl=5&itool=pubmed_docsum)

Cameron AJ, Zimmet PZ, Dunstan DW, Shaw JE. Overweight and obesity in Australia: an underestimate of the true prevalence? *Med J Aust* 2004;180:93-94. Response and reply.

Snijder MB, Zimmet PZ, Visser M, Dekker JM, Seidell JC, Shaw JE. Independent and opposite associations of waist and hip circumference with diabetes, hypertension and dyslipidemia: the AusDiab Study. *Int J Obesity Relat Metab Disord* 2004;28:402-409.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=14724659&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14724659&query_hl=5&itool=pubmed_docsum)

Colagiuri S, Hassain Z, Zimmet PZ, Cameron AJ, Shaw JE. Screening for type 2 diabetes and impaired glucose metabolism – The Australian experience. *Diabetes Care* 2004;27:367-371. IF=7.911  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=14747215&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14747215&query_hl=5&itool=pubmed_docsum)

Liew D, Schneider H, D'Agostino J, Shaw J, Krum H. Utility of B-type natriuretic peptide as a screen for left ventricular dysfunction in patients with diabetes. *Letter. Diabetes Care* 2004;27:848. Ltr.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=14988324&query\\_hl=56&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14988324&query_hl=56&itool=pubmed_docsum)

## 2003

Briganti EM, Atkins RC, Chadban SJ. Albuminuria and renal insufficiency prevalence guides population screening. *Kidney Int* 2003;64:760-762. IF=4.072

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=12846779&ordinalpos=38&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=12846779&ordinalpos=38&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Tapp R, Shaw J, de Courten M, Dunstan D, Welborn T, Zimmet P on behalf of the AusDiab Study Group. Foot complications in type 2 diabetes: An Australian Population-Based Study. *Diabetic Med* 2003;20:105-13. IF=2.484

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12581261&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12581261&query_hl=5&itool=pubmed_docsum)

Chow F, Briganti EM, Kerr PG, Chadban SJ, Zimmet PZ, Atkins RC. Health-related quality of life Australian adults with renal insufficiency. *Am J Kidney Diseases* 2003;41:596-604. IF=4.072.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12612983&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12612983&query_hl=5&itool=pubmed_docsum)

Tapp R, Shaw J, Harper A, de Courten M, Balkau B, McCarty D, Taylor H, Welborn T, Zimmet P on behalf of the AusDiab Study Group. The prevalence of and factors associated with diabetic retinopathy in the Australian population. *Diabetes Care* 2003; 26:1731-1737. IF=7.912

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12766102&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12766102&query_hl=5&itool=pubmed_docsum)

Cameron AJ, Welborn TA, Zimmet PZ, Dunstan DW, Owen N, Salmon J, Dalton M, Jolley D, Shaw JE. Overweight and obesity in Australia – the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *MJA* 2003;178: 427-432. IF=2.582

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12720507&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12720507&query_hl=5&itool=pubmed_docsum)

Briganti EM, Shaw JE, Chadban SJ, Zimmet PZ, Welborn WA, McNeil JJ, Aitkins RC. Untreated hypertension among Australian adults: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *MJA* 2003;179:135-139. IF=2.582

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12885281&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12885281&query_hl=5&itool=pubmed_docsum)

Chadban SJ, Briganti EM, McNeil JJ, Zimmet PZ, Atkins RC. Prevalence of kidney damage in Australian adults – The AusDiab Kidney Study. *J Am Soc Nephrol* 2003;14:S131-S138. . IF=7.371

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12819318&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12819318&query_hl=5&itool=pubmed_docsum)

Atkins RC, Briganti EM, Shaw JE, Zimmet PZ, Chadban SJ. Association between albuminuria and proteinuria in the general population - the AusDiab Study. *Nephrology Dialysis Transplantation* 2003;18:2170-2174. IF 3.167

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=13679498&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=13679498&query_hl=5&itool=pubmed_docsum)

Briganti E, Atkins R, Chadban S. Albuminuria and renal insufficiency prevalence guides population screening. *Kidney Int* 2003;64:760-761 Ltr.

<http://scholar.google.com/scholar?hl=en&lr=&q=Briganti+E%2C+Atkins+R%2C+Chadban+S.++Albuminuria+and+renal+insufficiency+prevalence+guides+population+screening.++&btnG=Search>

Dalton M, Cameron AJ, Zimmet PZ, Shaw JE, Jolley D, Dunstan DW, Welborn TA on behalf of the AusDiab Steering Committee. Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors. *J Intern Med* 2003;254:555-563. IF=4.730  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=14641796&query\\_hl=5&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14641796&query_hl=5&itool=pubmed_docsum)

Briganti EM, Atkins RC, Chadban SJ. Albuminuria and renal insufficiency prevalence guides population screening. *Kidney Int* 2003;64:760-761. Ltr  
<http://www.ncbi.nlm.nih.gov/sites/entrez>

## 2002

Dunstan D, Zimmet P, Welborn T, Shaw J, de Courten M, Cameron A, Sicree R, Dwyer T, Colagiuri S, Jolly D, Kuiman M, Atkins R on behalf of the AusDiab Steering Committee. The rising prevalence of diabetes mellitus and impaired glucose tolerance. The Australian Diabetes, Obesity and Lifestyle Study. *Diabetes Care* 2002;25:829-834. IF=7.912  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=11978676&query\\_hl=7&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11978676&query_hl=7&itool=pubmed_docsum)

Briganti EM, Branley P, Chadban SJ, McNeil JJ, Shaw JE, Welborn TA, Atkins RC. Smoking is associated with renal impairment and proteinuria in the normal population – the AusDiab Kidney Study. *Am J Kidney Disease* 2002;40:704-712. IF=4.072  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12324904&query\\_hl=9&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12324904&query_hl=9&itool=pubmed_docsum)

Dunstan D, Zimmet P, Welborn T, Cameron A, Shaw J, de Courten M, Jolley D, McCarty D. The Australian Diabetes, Obesity and Lifestyle Study (AusDiab) Methods and Response Rates. *Diabetes Res Clin Pract* 2002;57:119-129. IF=1.837  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=12062857&query\\_hl=5&itool=pubmed\\_DocSum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12062857&query_hl=5&itool=pubmed_DocSum)

## PRESENTATIONS – CONFERENCE/MEETINGS/WORKSHOPS ABSTRACTS 2002/2008

Liew D, Nanayakkara S, Webb K, Grobler M, Delahoy P, Magliano D. The cardiovascular prevention model (CPM), a generically applicable model for undertaking cost-effectiveness analyses of preventive interventions. European ISPOR, Athens, November 2008.

Rostambeigi N, Tonkin A, Atkins R, Shaw J, Ghanbarian A, Zimmet P, Azizi F. Impaired glucose metabolism and dyslipidemia in different populations: a comparative study in Australia and Iran (a collaborative study of AusDiab and TLGS studies) American Public Health Association, San Diego, October 2008.

Clark BK, Sugiyama T, Healy GN, Salmon J, Dunstan D, Shaw J, Zimmet P, Owen N. Socio-economic attributes of high television viewing time in Australian men and women: the AusDiab study. National Physical Activity Conference, Adelaide October 2008.

Magliano DJ, Söderberg S, Pauvaday K, Kowlessur S, Tuomilehto J, Alberti G, Shaw JE, Zimmet PZ. Diabetes, IGT and IFG: risk factors for all cause mortality over 15 years, in the multi-ethnic nation of Mauritius. EASD Rome, September 2008.

Zimmet PZ, Magliano DJ, De Courten B, Forbes J, Shaw JE. Cytokines, advanced glycation end-products, leptin and adiponectin and diabetes: a nested case-control study. EASD Rome, September 2008.

Clark B, Dunstan D, Healy G, Sugiyama T, Owen N. Gender differences in associations of biomarkers of cardio-metabolic risk with weekday and weekend television viewing: The AusDiab study. Public Health Association of Australia Queensland Branch, September 2008.

Sicree RA, Zimmet PZ, Cameron AJ, Magliano DJ, Shaw JE. Diabetes prevalence among migrant populations in Australia: prevalence and risk factor associations. EASD Rome, September 2008.

Cameron AJ, Murray SG, Scholes B, Dunstan DW, Shaw JE. Do those with diagnosed diabetes have better diet and lifestyle patterns than those with newly diagnosed diabetes, IFG or IGT? Evidence from AusDiab. EASD Rome, September 2008.

Cameron AJ, Zimmet PZ, Alberti KGMM, Sicree RA, Tuomilehto J, Shaw JE. Questioning the appropriateness of recommended waist cut-points for Europeans and Asian Indians based on relationships with incident diabetes. EASD Rome, September 2008.

Polkinghorne KR, Atkins RC, Magliano DJ, Shaw JE, White S, Chadban SJ. Incident chronic kidney disease in Australia. ANZSN, Newcastle, September 2008

Magliano DJ, Shaw JE, Nusselder WJ, Barr ELM, Liew D, Zimmet PZ, Peeters A. Lifetime Risk of Diabetes: The AusDiab Study. ADS/ADEA, Melbourne, August 2008.

Barr ELM, Tonkin A, Zimmet PZ, Shaw JE. Diabetes and intermediate hyperglycaemia increase the risk of five-year fatal or non-fatal CVD – AusDiab. ADS/ADEA, Melbourne, August 2008.

Liew D, Yuen C, Gonzalo F, Magliano . Future burden of disease arising from type 2 diabetes in Australia. ADA, San Francisco June 2008.

Tapp RJ, Oldenberg B, Zimmet PZ, Shaw JE. Longitudinal association of quality of life with glucose metabolism: results from the Australian Diabetes Obesity and Lifestyle study (AusDiab). ADA, San Francisco June 2008.

DW Dunstan, GN Healy, T Sugiyama, J Salmon, N Owen. Epidemiological research evaluating the association between sedentary behaviour and metabolic health. International Congress on Physical Activity and Public Health, Amsterdam, April 2008.

Healy GN, Dunstan DW, Salmon J, Shaw JE, Zimmet PZ, Owen N. Television time and continuous metabolic risk in physically-active adults. Australasian Society for Behavioural Health and Medicine (ASBHM) Conference, Sydney, January/February 2008.

Al Salmi I, Hoy WE, Kondalsamy-Chennakesavan S, Wang Z, Healy H, Gobe GC, Atkins RA, Shaw JE. Adult chronic kidney disease patients have lower birth weight than the general Australian population. ASN Renal Week 2007. San Francisco, October/November 2007.

Al Salmi I, Hoy WE, Kondalsamy-Chennakesavan S, Atkins RA, Barr ELM, Shaw JE. Lower glomerular filtration rate in adults with low birthweight: results from the AusDiab Study. ASN Renal Week 2007. San Francisco, October/November 2007.

Vazquez G, Duval S, Jacobs D, Shaw J for the CODA Research Group. Risk score models based on obesity measures for screen-detected diabetes in diverse populations: Evidence from the CODA project. The Obesity Society Annual Scientific Meeting 2007, New Orleans October 2007.

Clark B, Sugiyama T, Healy G, Owen N, Salmon J, Dunstan D. Descriptive epidemiology of television viewing in Australian adults: findings from the AusDiab study. 6th National Physical Activity Conference. Adelaide, October 2007.

Healy GN, Dunstan DW, Salmon J, Cerin E, Owen N. Prolonged bouts of sedentary time are associated with 2-hr plasma glucose, independent of total sedentary time. 6th National Physical Activity Conference. Adelaide, October 2007.

Dunstan DW, Salmon J, Healy G, Shaw JE, Zimmet PZ, Owen N. Associations of self-reported television viewing time and objective-measures of sedentary time with blood glucose indices. 6th National Physical Activity Conference. Adelaide, October 2007.

Sugiyama T, Healy G, Owen N, Salmon J, Dunstan D. Insufficient physical activity and prolonged sedentary behaviour Which is the stronger predictor of Body Mass Index? 6th National Physical Activity Conference. Adelaide, October 2007.

Dunstan DW, Owen N, Salmon J, Healy G, Ball K, Shaw JE, Zimmet PZ. Associations of sitting time with components of the metabolic syndrome in adults without diagnosed diabetes – the AusDiab Study. EASD, Amsterdam, September 2007.

White S, Polkinghorne K, Cass A, Shaw J, Atkins R, Chadban S. Obesity and 5-year incidence of kidney disease – findings from AusDiab. ANZ Society of Nephrology, Gold Coast, September 2007.

Tapp R, Zimmet P, Shaw J on behalf of the AusDiab Study Group. Longitudinal association of glucose metabolism with neuropathy and peripheral arterial disease: results from the Australian Diabetes Obesity and Lifestyle study (AusDiab). EASD, Amsterdam, September 2007.

Healy GN, Dunstan D, Shaw JE, Zimmet PZ, Owen N. Objectively-measured sedentary time and light-intensity physical activity are independently associated with components of the metabolic syndrome: the AusDiab Study. EASD, Amsterdam, September 2007.

Barr ELM, Boyko EJ, Zimmet PZ, Shaw JE. Two-hour glucose predicts the development of hypertension over five years: the AusDiab study. EASD, Amsterdam, September 2007.

Peeters A, Magliano DJ, Nusselder WJ, Barr ELM, Liew D, Zimmet PZ, Shaw JE. Lifetime risk of diabetes: The AusDiab Study. EASD, Amsterdam, September 2007.

Dunstan DW, Owen N, Salmon J, Healy G, Ball K, Shaw JE, Zimmet PZ. Association of sitting time with components of the metabolic syndrome in adults without diagnosed diabetes – the AusDiab Study. EASD, Amsterdam, September 2007.

Healy GN, Dunstan DW, Salmon J, Cerin E, Hawley JA, Owen N. Prolonged bouts of sedentary time are associated with percent body-fat, independent of total sedentary time. American College of Sports Medicine Annual Conference, New Orleans, May/June 2007.

Healy GN, Dunstan DW. Do sitting and exercise INDEPENDENTLY predict the incidence of the metabolic syndrome? Presentation at the symposium “Contrasting the independent biochemical and clinical effects of exercising too little with sitting too much on the metabolic syndrome: The emergence of inactivity physiology (low NEAT) and inactivity epidemiology”. American College of Sports Medicine Annual Conference, New Orleans, May/June 2007.

Dunstan DW, Daly RM, Owen N, Salmon J, Healy GN, Hawley JA, Shaw JE, Jolley D, Zimmet PZ. Association of resistance exercise with impaired glucose metabolism in adults – a population-based study. American College of Sports Medicine Annual Conference, New Orleans, May/June 2007.

Reeves M, Healy G, Khan T, Dunstan D, Shaw J, Zimmet P, Owen N. Abnormal glucose metabolism: Does diet interact with sedentary behaviour? The AusDiab Study. Dietitians Association of Australia 25th National Conference, Hobart, May 2007.

Tikellis G, Shaw JE, Simpson R, Zimmet PZ, Rogers S, Wang JJ, Mitchell Paul, Taylor HR, Wong TY. The relationship of retinal vascular caliber to diabetes, glycemia and retinopathy. The Australian Diabetes, Obesity and Lifestyle Study (AusDiab). Association for Research in Vision and Ophthalmology. Florida May 2007.

Rogers SL, Tikellis G, Harper CA, Shaw J, Zimmet PZ, Mitchell P, Taylor HR, Wang JJ, Wong TY. Retinal vascular caliber and the 5-year cumulative prevalence of retinopathy lesions in an Australian population: The AusDiab Study. Association for Research in Vision and Ophthalmology. Florida May 2007.

Cameron AJ, Shaw JE, Tonkin AM, Magliano D, Zimmet PZ. Is the metabolic syndrome a useful and necessary tool for prediction of diabetes? The AusDiab Study. 2<sup>nd</sup> International Congress on "Prediabetes" and the Metabolic Syndrome, Spain, April 2007.

Shaw JE, Magliano DJ, Barr ELM, Dunstan DW, Cameron A, Welborn TA, Zimmet PZ. Incidence of diabetes in Australia: the AusDiab study. IDF Cape Town, December 2006.

Magliano DJ, Barr ELM, Polkinghorne K, Atkins RC, Tapp R, Chadban S, Zimmet PZ, Shaw JE. Microalbuminuria and risk of mortality. IDF Cape Town, December 2006.

Al Salmi I, Hoy W, Wang Z, Gobe G, Barr L, Shaw J. Lower birthweights predispose to the metabolic syndrome: results from the AusDiab Study. IDF Cape Town, December 2006.

Al Salmi I, Hoy J, Wang Z, Gobe G, Barr L, Shaw J. Birthweight is inversely correlated with type 2 diabetes mellitus in the general population: results from the AusDiab Study. IDF Cape Town, December 2006.

Healy GN, Owen N, Salmon J, Cerin E, Dunstan DW. Accelerometer-Determined Physical Activity and Blood Glucose in Australian Adults. International Congress on Behavioural Medicine, Bangkok, Thailand, November/December 2006.

Healy GN, Owen N, Salmon J, Cerin E, Dunstan DW. Every step counts – objectively determined physical activity and blood glucose in Australian adults. Annual Health and Medical Research Conference of Queensland, Brisbane Australia, November 2006.

Dunstan DW, Barr ELM, Magliano DJ, Salmon J, Owen N, Jolley D, Shaw JE, Zimmet PZ. Physical inactivity and all-cause mortality in Australians with 'undiagnosed' impaired glucose metabolism. The AUSDIAB Study. EASD Copenhagen-Malmoe, September 2006.

Barr ELM, Zimmet PZ, Welborn TA, Shaw JE. Two-hour post-load glucose: an independent predictor of 5-year all-cause mortality. EASD Copenhagen-Malmoe, September 2006.

Tapp R, Shaw J, Tonkin A, Taylor H, Dunstan D, Barr E, Harper CA, Welborn T, Zimmet P. Retinopathy, neuropathy and peripheral arterial disease as independent predictors of all-cause mortality: results from the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). ADA, Washington June 2006.

Al Salmi I, Hoy W, Kondalsamy-Chennakesavan S, Shaw J. Metabolic syndrome and birthweight – results from AusDiab survey. 3<sup>rd</sup> Annual World Congress on Insulin Resistance Syndrome, San Francisco 2005.

Barr ELM, Cameron AJ, Zimmet PZ, Welborn TA, Shaw JE. Four-year mortality is increased in all categories of glucose intolerance – the AusDiab study. ADS Perth, Sept 2005.

Dunstan D, Salmon J, Owen N, Zimmet P, Shaw J, Welborn T. Television viewing time in relation to blood glucose levels and quality of life in adults – AusDiab Study. First Int Congress on “Prediabetes” and the Metabolic Syndrome, Berlin 2005.

Cameron AJ, Shaw JE, Zimmet PZ, Welborn T on behalf of the AusDiab Steering Committee. Prevalence of the metabolic syndrome, and the ability of 3 definitions to identify incident cases of diabetes in Australia. First Int Congress on “Prediabetes” and the Metabolic Syndrome, Berlin 2005.

Dunstan D, Salmon J, Owen N, Shaw J, Zimmet P, Welborn T. Television viewing time and blood glucose levels in Australian adults. First Int Congress on “Prediabetes” and the Metabolic Syndrome, Berlin 2005.

Healy GN, Dunstan DW, Leslie E, Shaw JE, Zimmet PZ, Owen N. Does physical activity attenuate the risk of abnormal glucose tolerance in overweight and obese men and women? Aust Conference of Science & Medicine in Sport, 2005.

Polkinghorne KR, Chadban SJ, Shaw JE, Zimmet PZ, Atkins RC. Prevalence of albuminuria in Australia: immunonephelometry compared with HPLC. ANZ Society of Nephrology, 2005.

Polkinghorne KR, Chadban SJ, Shaw JE, Zimmet PZ, Atkins RC. Prevalence of impaired GFR in Australia: a comparison between the Cockcroft Gault and modification of diet in renal disease equations. ANZ Society of Nephrology, 2005.

Kondalsamy-Chennakesavan S, Hoy WE, Shaw J, Polkinghorne K, Briganti E, Atkins RA. Rates of proteinuria, hypertension and diabetes in adults from three remote Aboriginal communities compared with AusDiab data. ANZ Society of Nephrology, 2005.

Barr ELM, Cameron AJ, Zimmet PZ, Shaw JE. All-cause mortality is increased across glucose tolerance categories in a national Australian population-based study (AusDiab). ADA San Diego 2005.

Coyne T, Ibiebele, K, Baxter A, McClintock C. Serum carotenoids and the metabolic syndrome. Int Congress Nutrition 2005.

Sicree R, Cameron A, Zimmet PZ, Shaw J. Height partly explains the gender differences seen in post load glucose – the Ausdiab Study. Diabetes. ADA 2004.

Dunstan D, Salmon J, Owen N, Zimmet P, Shaw J, Cameron A, Welborn T, Armstrong T, Jolley D. Prolonged television viewing increases risk of the metabolic syndrome. EASD 2004.

Shaw JE, Sicree R, Dunstan D, Cameron A, Zimmet PZ. Height partly explains the gender differences seen in post load glucose – the AusDiab Study. EASD 2004.

Tapp R, Shaw J, Balkau B, Chadban S, Tonkin A, Zimmet P, Atkins R. Strong association between microalbuminuria and biochemical and physiological factors associated with diabetes: results from the Australian Diabetes, Obesity and Lifestyle Study. EASD 2004.

Tapp R, Shaw J, Balkau B, Chadban S, Tonkin A, Welborn T, Zimmet P, Atkins R. Nephropathy is evident at the early stages of glucose intolerance. ADS & ADES Scientific Meeting, Melbourne 2004.

Barr E, Kemp T, Cameron A, Zimmet P, Welborn T, Shaw J on behalf of the AusDiab Steering Committee. Glycaemic, lipid and blood pressure control among Australia adults with known type 2 diabetes: the Australian Diabetes Obesity and Lifestyle (AUSDIAB). ADS & ADES Scientific Meeting, Melbourne 2004.

Story AM, Hussain Z, Colagiuri S, Shaw J, Zimmet P. Algorithms for detecting impaired glucose tolerance, impaired fasting glucose, new diabetes and dysglycaemia. ADS & ADES Scientific Meeting, Melbourne 2004.

Dunstan DW, Shaw JE, Zimmet PZ, Salmon J, Owen N, Armstrong T. Relationship of physical activity and television viewing to the prevalence of abnormal glucose tolerance in Australian adults. The International XVII Puijo Symposium, Finland, June 2003.

Coyne T, McNaughton S, Ibiebele K, Lee A, McClintock C, Findlay M, Hodge A, Rutishauser I, O'Dea K. Can short questions provide reliable estimates of vegetable and fruit intakes? Validation using biomarkers) used AusDiab Data. 5<sup>th</sup> International Conference of Dietary Assessment Methods in Chaing Rai, Thailand January 2003.

Chadban S. AusDiab and diabetic nephropathy. Seminars in Medicine, Concord Hospital, February 2003.

Simmons D, Eaton S, McKenzie A, Shaw J, Zimmet P. Prevalence of diabetes in the Goulburn Valley, Australia. ADS & ADEA Scientific Meeting, Melbourne 2003.

Briganti E, Atkins R, Shaw J, Zimmet P, Welborn T. Management of hypertension in adults with Type 2 diabetes mellitus in Australia: are we off target? ADS & ADEA Scientific Meeting, Melbourne 2003.

Tapp R, Zimmet P, Harper A, DeCourten M, McCarty D, Taylor H, Welborn T, Shaw J. Awareness of and screening for diabetic complications: the AusDiab Study. ADS Meeting, Melbourne 2003.

Vulikh E, Dunstan D, Daly R, Owen N, Shaw J, Jolley D, Zimmet P. Improved self-perceived physical functioning following supervised resistance training in older persons with type 2 diabetes. ADS & ADEA Scientific Meeting, Melbourne 2003.

Cameron A, Shaw J, Welborn T, Zimmet P. Comparison of associations between three measures of obesity and cardiovascular risk factors in Australian adults. ADA 2003.

Tapp R, Zimmet P, Harper A de Courten M, McCarty D, Taylor H, Welborn T, Shaw J on behalf of the AusDiab Study Group. Frequency of retinopathy screening in the Australian diabetic population. ADA 2003.

Tapp R, Balkau B, Mhamdi L, de Courten M, Rabouin F, d'Hour D, Welborn T, Zimmet P. Does the association of BMI with the metabolic syndrome differ between populations. EASD 2003.

Shaw JE, Tapp R, deCourten M, Welborn T, Zimmet P. Does glucose tolerance status affect quality of life? EASD 2003.

Liew D, Shaw J, Schneider H, D'Agostino J, Krum H. Serum N-terminal pro brain natriuretic peptide for screening of left ventricular abnormalities in patients with diabetes mellitus. Cardiac Society of Australia and New Zealand 51<sup>st</sup> Annual Scientific Meeting, Adelaide, August 2003.

Liew D, Shaw J, Schneider H, D'Agostino J, Krum H. Correlation of brain natriuretic peptide with urinary protein among diabetics without manifest cardiovascular disease. European Society of Cardiology Congress 2003, Vienna, Austria, September 2003.

Dunstan D, Salmon J, Owen N, Armstrong T, Shaw H, Zimmet P. Independent associations of abnormal glucose tolerance with physical activity and television viewing time. ADS & ADES Scientific Meeting, Melbourne 2003.

Dunstan D, Salmon J, Owen N, Armstrong T, Shaw J, Zimmet P. Physical activity and television viewing patterns among Australian adults according to genera and educational attainment. National Physical Activity Conference, Perth, 2003.

- Dunstan DW, Daly RM, Owen N, Shaw JE, Jolley D, Vulikh E, Zimmet PZ. Improved self-perceived physical functioning following supervised resistance training in older persons with Type 2 diabetes. EASD 2003.
- Cameron AJ, Shaw JE, Zimmet PZ, Welborn T. Prevalence of the metabolic syndrome in Australia using 3 proposed definitions. Australian Diabetes Society meeting, Melbourne 2003.
- Sicree RA, Shaw JE, Dunstan DW, Cameron AJ, Zimmet PZ, Welborn TA. The poor detection of abnormal glucose tolerance by fasting glucose among Australian women. ADA San Francisco, June 2003.
- Sicree R, Dunstan D, Cameron A, Shaw J on behalf of the AusDiab Steering Committee. The relationship of total body water with the 2 hour oral glucose tolerance test. ADS & ADES Scientific Meeting, Melbourne 2003.
- Tapp R, Zimmet P, de Courten M, Murray S, Dunstan D, Welborn T, Shaw J on behalf of the AusDiab Study Group. Foot screening and foot-care among those at high risk of foot ulceration: the AusDiab Study. EASD 2003.
- Tapp R, Zimmet P, de Courten M, Dunstan D, Welborn T, Shaw J on behalf of the AusDiab Study Group. Foot screening and foot-care in the Australian diabetic population. ADS-ADEA South Australia 2002.
- Tapp R, Shaw J, Harper A, de Courten M, Dunstan D, McCarty D, Taylor H, Welborn T, Atkins R. Diagnostic criteria for diabetes: the relationship between glycaemia and retinopathy. ADA 2002.
- Cameron A, Shaw J, Welborn T, Zimmet P. Cardiovascular risk factors in different states of glucose tolerance – The AusDiab Study. EASD 2002.
- Tapp R, Shaw J, Harper A, de Courten M, Dunstan D, McCarty D, Taylor H, Welborn T, Atkins R, Zimmet P on behalf of the AusDiab Study Group. Diagnostic criteria for diabetes: the relationship of retinopathy and microalbuminuria with glycaemia. EASD 2002.
- Atkins RC Briganti EM, Shaw J, Zimmet PZ, Chadban SJ. Population prevalence of proteinuria and albuminuria – the AUSDIAB Kidney Study. Australian and New Zealand Society of Nephrology. 38<sup>th</sup> Annual Scientific Meeting, September 2002.
- Briganti EM, Chadban P, Zimmet P, Atkins R. Burden of cardiovascular disease and risk factors in adults with renal impairment: targeting the risk factor management. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.
- Briganti EM, Chadban S, Kerr P, Zimmet P, Atkins R. Serum creatinine missed opportunities for early intervention in renal disease – the AusDiab Kidney Study. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.
- Chow E, Briganti EM, Kerr P, Chadban S, Zimmet P, Atkins R. Differential effects of age on health-related quality of life in Australians with renal impairment. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.
- Atkins RC, Briganti EM, Shaw J, Zimmet P, Chadban SJ. Population prevalence of proteinuria and albuminuria – the AusDiab Kidney Study. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.
- Atkins RC, Briganti EM, Shaw J, Zimmet PZ, Chadban SJ. Albuminuria and proteinuria – do they mean the same thing? – the AusDiab Kidney Study. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.

Branley P, Chadban SJ, Briganti BM, Zimmet PZ, Welborn T. Smoking is associated with microalbuminuria and decreased creatinine clearance in a non-diabetic population. The Renal AusDiab Study. Australian and New Zealand Society of Nephrology, 38<sup>th</sup> Annual Scientific Meeting, Sydney 2002.

Sicree RA, Shaw JE, Dunstan DW, Cameron AJ, Zimmet PZ. Gender association with basis for abnormal glucose tolerance diagnosis according to diagnostic criteria. ADA 2002.

Cameron AJ, Murray S, Shaw JE, Zimmet PZ. Knowledge of the risk factors for diabetes amongst the overweight and obese: The AusDiab Study. ADS, Adelaide 2002.

Tapp R, Shaw J, Harper A, Dalton M, de Courten M, Murray S, Dunstan D, Taylor H, Welborn T, Zimmet P on behalf of the AusDiab Study Group. Prevalence and risk factors for retinopathy: In the Australian diabetic population. IDF-WPR Conference, Beijing, China 2002.

Dunstan D, Armstrong T, Shaw J, Dixon T, Salmon J, Owen N, Cameron A, Zimmet P. Leisure physical activity and television viewing patterns among Australian adults according to glucose tolerance status. Diabetes Res Clin Pract 2002;57(Suppl 1):S32.

Chadban S. The AusDiab Kidney Study – Kidney damage and associated abnormalities in the community. North Shore Renal Group, Sydney, 2002.

Atkins R. Modifiable risk factors for diabetic nephropathy. National Kidney Foundation Singapore – First International Summit on Kidney Prevention, 2002.

Atkins R. Nephrological insights from AusDiab. Kimmelsteil Club, National Endocrinologists' and Nephrologists' Meeting, Melbourne May 2002.

Chadban, SJ. AusDiab Renal Study: indicators of renal disease. Nephrology 2002;7:S26.

Colagiuri S, Shaw J, Hussain Z, Zimmet P. A staged approach to screening for undiagnosed type 2 diabetes. ADA 2002.